CHANGZHOU TOPTREE AUTO LAMP CO., LTD.
Tel: +86-519-81193809
Fax: +86-519-85281830
Email: info@cntoptree.com
Web: www.cntoptree.com

TOPTREE®

ABOUT TOPTREE

TOPTREE are exported to over 50 countries in Europe, South America, Africa & Asia. The manufacturing facilities conform to ISO norms, and products are CE & ROHS approved.

The company has advanced manufacture facilities such as plastic-injection machine, puncher, coating equipment and inspection facilities such as integral ball, temperature tester, shockproof and waterproof testing equipment and integral Quality Assurance System for manufacturing unit that has comprehensive series of tests andinspections at each stage during the production cycle. The plant establishment and production processes are to the principle of environment friendly.

TOPTREE has LED working lamp and HID off-road light divisions which offer various of lamps for SUV, off-road vehicle, truck, racing, engineering car, agriculture and other mechanical cars.

Our mission is to broaden your vision,brighten your life!

SEMA SHOW

NOV 5 - NOV 8, 2013

3,000+ QUALIFIED MEDIA | 60,000+ QUALIFIED BUYERS | 130,000+ INDUSTRY PROFESSIONALS

Last Year, We are in SEMA!

Reception customer

Colombia Customers

Booth

India Customers

Reception customer

USA Customers

24 Months Warranty

ROHS

CE

CNTOPTREE.COM

TOPTREE®

OVAL BLUE LIGHT

—— Using: Forklift & Engineering machinery

Model:TPB6W
Size: 122 × 75 × 75mm
Power: 6W
Lumens: 600Lum
Voltage: 9–58V

Model:TPB10W
Size: 105 × 70 × 94mm
Power: 10W
Lumens: 530Lum
Voltage: 10–80V

Model:TPBL6W
Size: 122 × 75 × 75mm
Power: 6W
Lumens: 600Lum
Voltage:10–110V

Model:TPBL10W
Size: 137X97.8X87.9mm
Power: 10W
Lumens: 800Lum
Voltage:10–80V

SPECIAL FOR FORKLIFT



Model:TPH24W
Power: 24W
Voltage: 10–30V
Lumens: 1440 lm
Standard:CE
LEDs: 8PCS × 3W(CREE LEDs)
Size: 90 × 177 × 64.5mm
Beam: Flood beam
Working life: > 30000 hours
LED color temperature: 5000–6500K
Working temperature: –40~ +50° C
Protection Grade: IP68

24 Months Warranty

Tel: +86-519-81193809 Fax: +86-519-85281830
Email: info@cntoptree.com Web: www.cntoptree.com



TOPTREE®

LED WARNING LIGHTS

—— Using: School bus, Truck, Rescue vehicle

Model:TPF01

Size: 130 x 130 x 100mm
LEDs: 48pcs 0.5W SMD LED
Power: 24W
Voltage: 10–30V

Model:TPF02

Size: 30 X 130 X 59mm
LEDs: 16pcs 0.5W SMD LED
Power: 8W
Voltage:10–30V

24 Months Warranty

Tel: +86-519-81193809 Fax: +86-519-85281830
Email: info@cntoptree.com Web: www.cntoptree.com

TOPTREE®

LED ROUND TRAIL LIGHTS

LED ROUND TRAIL LIGHTS

Model: TPH03
Type: Truck Tail Light
Size: 14cm(L) X 14cm(W) X 10cm(D)
LED quantity: 20 LEDs
LED specification: Superbright SMD PLCC LED
Operating voltage: DC Multivolt 12 & 24 volt , DC 12Volt, DC 24Volt
Protection Grade: IP68
Power: 2.5W

E mark CE RoHS

Tel: +86-519-81193809 Fax: +86-519-85281830
Email: info@cntoptree.com Web: www.cntoptree.com

24 Months Warranty

TOPTREE®

HEAD LIGHT

Model:TP7030

Size: 177 x 99 x 190mm(Ø177 x 177)
Power: 30W
Lumens:1200Lum
Voltage: 12–48V

Model:TP5030

Size: 130 x 80 x 144mm(Ø130 x 130)
Power: 20W
Lumens:1100Lum
Voltage: 12–30V

E mark CE RoHS

24 Months Warranty

Tel: +86-519-81193809 Fax: +86-519-85281830
Email: info@cntoptree.com Web: www.cntoptree.com

TOPTREE®



Model:TP7020S

Size: 201 x 143 x 96mm
Power: 20W +15W+ drl8W
Beam type: Low beam + DRL
Voltage: 9–33V

Model:TP7020R

Size: Ø177 x 97mm
Power: 20W +15W+ drl8W
Beam type: Low beam + DRL
Voltage: 9–33V

Model:5020S

Size: 167 x 107 x 81mm
Power: 20W +15W+ drl8W
Beam type: Low beam + DRL
Voltage:Voltage: 9–33V

Model:TP5020R

Size: Ø144 x 84mm
Power: 20W +15W+ drl8W
Beam type: Low beam + DRL
Voltage: 9–33V

24 Months Warranty

Tel: +86-519-81193809 Fax: +86-519-85281830
Email: info@cntoptree.com Web: www.cntoptree.com

TOPTREE®

7"Round LED Headlight

. Model Number: TPH7"
. Usage: Ø176mm(D)X101mm(H)
. Universal Voltage: 10V-30V
. LEDs: Osram
. Life Expectancy: 30,000H
. Dust and waterproof: IP66
. Lens Material:Polycarbonate
. Housing Material: Die-cast Aluminum

24 Months Warranty

Tel: +86-519-81193809 Fax: +86-519-85281830
Email: info@cntoptree.com Web: www.cntoptree.com

TOPTREE®



. Model: TP5080/TP5060
. Power: 80W/60W
. Voltage: DC 12-48V
. Luminous flux: 4700lm/3700lm
. LEDs: 4pcsX20W/15W (Cree LED)
. LED color temperature: 6000K
. Beam type: Pencil beam, Flood beam
. Working life: 50000 hours
. Size: 110X110X134mm
. Dust and waterproof: IP67
. Weight:1.35kg
. Working temperature:-40℃ ~+65℃



Tel: +86-519-81193809 Fax: +86-519-85281830
Email: info@cntoptree.com Web: www.cntoptree.com

24 Months Warranty

TOPTREE®

CURVED LED LIGHT BAR

3W EPISTAR/CREE

MODEL	INCH	WATT	LEDS	IP RATE	MOUNTING BRACKET
TPC120	20″	120W	3W × 40PCS	67	Alu firm bracket
TPC180	30″	180W	3W × 60PCS		
TPC240	40″	240W	3W × 80PCS		
TPC288	50″	288W	3W × 96PCS		
TPC300	50″	300W	3W × 100PCS		

LED LIGHT BAR

3W EPISTAR/CREE

MODEL	INCH	WATT	LEDS	IP RATE	MOUNTING BRACKET
TP003–36W	7.5″	36W	3W × 12PCS	67	304 Stainless Steel
TP003–72W	13.5″	72W	3W × 24PCS		
TP003–120W	21.5″	120W	3W × 40PCS		
TP003–180W	31.5″	180W	3W × 60PCS		
TP003–240W	41.5″	240W	3W × 80PCS		

24 Months Warranty

Tel: +86-519-81193809 Fax: +86-519-85281830
Email: info@cntoptree.com Web: www.cntoptree.com

TOPTREE®

Model:TP324
Size: 80 × 75 × 82mm(4")
Power: 24W
Color Temerature: 6000K
Voltage:10–30V

Model:TP917
Size: 110 × 110 × 72mm
Power: 51W
Lumens: 3315Lum
Amps: 4A(12V)/2A(24V)

Model:TP912
Size: 110 × 110 × 51mm(4")
Power: 24W
Lumens: 1300Lum
Amps: 2A(12V)/1A(24V)

Model:TP818
Size: 125 × 125 × 49mm (5")
Power: 27W
Lumens: 1450Lum
Amps:2.25A(12V)/1.125A(24V)

Model:TP12005
Size: 116 × 116 × 41mm(4")
Power: 18W
Lumens: 950Lum
Amps: 1.5A(12V)/0.75A(24V)

Model:TP815
Size: 158 × 95 × 75mm
Power: 45W
Lumens: 3450Lum
Amps: 4A(12V)/2A(24V)

Model:TP5600
Size: 180 × 212.5 × 97mm
Power: 60W
Lumens: 5100Lum
Amps: 5A(12V)/2.5A(24V)

Model:TP819
Size: 125 × 125 × 49mm (5")
Power: 27W
Lumens:1450Lum
Amps: 2.25A(12V)/1.125A(24V)

AGRICULTURE

Tel: +86-519-81193809 Fax: +86-519-85281830
Email: info@cntoptree.com Web: www.cntoptree.com

24 Months Warranty

TOPTREE®

INDUSTRIAL

Model: TP821

Size: 125 × 155 × 88mm
Power: 48W
Lumens: 3450Lum
Amps:4A(12V)/2A(24V)

Model: TP5450

Size: 140 × 140 × 92mm
Power: 45W
Lumens: 3825Lum
Amps: 3.75A(12V)/1.8A(24V)

Model: TP348

Size: 110 × 110 × 72mm
Power: 48W
Lumens:2800Lum
Amps: 4A(12V)/2A(24V)

Model: TP5800

Size: 140 × 140 × 96mm(6")
Power: 80W
Lumens: 6720Lum
Amps: 6.5A(12V)/3.5A(24V)

Model: TP5036R

Current: 3.0A @12V
Power: 36W
Lumens:2800Lum
House Materials: Aluminum

Model: TP5045S

Current: 3.5A @12V
Power: 45W
Lumens: 3500Lum
House Materials: Aluminum

TP017

10W EPISTAR/CREE

MODEL	INCH	WATT	LEDS	IP RATE	MOUNTING BRACKET
TP017–20W	5″	20W	10W × 2PCS	67	304 Stainless Steel
TP017–40W	8″	40W	10W × 4PCS		
TP017–60W	11″	60W	10W × 60PCS		
TP017–100W	17″	100W	10W × 10PCS		
TP017–120W	20″	120W	10W × 12PCS		
TP017–180W	30″	180W	10W × 18PCS		
TP017–240W	40″	240W	10W × 24PCS		

24 Months Warranty

Tel: +86-519-81193809 Fax: +86-519-85281830
Email: info@cntoptree.com Web: www.cntoptree.com

TOPTREE®

MARINE

Model:TP2019
Size:200 x 200mm
Power: 50W
Lumens: 4200Lum
Voltage:10–30V

Model:TP316–4D
Size: 80 x 82 x 75mm
Power: 16W
Lumens: 1000Lum
Amps: 1.3@12V,0.67A@24V

Model:TP2020
Size: 180 x 175mm
Power: 50W
Lumens: 4200Lum
Voltage:10–30V

Model:TP813
Size: 106 x 63mm
Power: 25W
Lumens: 1800Lum
Amps:2A(12V)/2A(24V)

Model:TP2018
Size: 20 x 20 x 24cm(7 inch)
Power: 30W
Color Temerature: 6000K
Voltage:12/24 DC

Model:TP810B
Size: 57 x 57 x 65mm
Power: 10W
Lumens: 900Lum
Amps: 0.83A(12V)/0.42A(24V)

Model:TP2017
Size: 18 x 18 x 17.5cm
Power: 30W
Color Temerature: 6000K
Voltage:12/24 DC

Model:TP810A
Size: 51 x 51 x 76mm
Power: 10W
Lumens: 900Lum
Amps: 0.83A(12V)/0.42A(24V)

Tel: +86-519-81193809 Fax: +86-519-85281830
Email: info@cntoptree.com Web: www.cntoptree.com

24 Months Warranty

TOPTREE®

RECHARGEABLE LED WORK LIGHT WITH MAGNET

Model:TPE01

Size:277 x 84 x 34mm
Power: 15W
Lumens: 1000Lum
Voltage:10–30V

Model:TPE02

Size: 175 x 115 x 100mm
Power:15W
Lumens: 1000Lum
Voltage:10–30V

Model:TPE03

Size: 175 x 115 x 100mm
Power: 18W
Lumens: 1000Lum
Voltage:10–30V



24 Months Warranty

Tel: +86-519-81193809 Fax: +86-519-85281830
Email: info@cntoptree.com Web: www.cntoptree.com

TOPTREE®

LED Auto Headlamp

- ★ Power: 40W
- ★ LED Quantity:2pcs COB LED
- ★ Coloer Temperature:6000K
- ★ Lumen: 2800LM
- ★ Life time: Over 30000h
- ★ Radiating： Aluminum
- ★ Operating temperature:-40℃～80℃

24 Months Warranty

Tel: +86-519-81193809 Fax: +86-519-85281830
Email: info@cntoptree.com Web: www.cntoptree.com

TOPTREE®

LIGHT MOUNT KIT SERIES-PERFECT LIGHTING SOLUTIONS

JEEP UPPER WINDSHIELD MOUNT KIT

Aluminum Alloy or Steel ●

Model: JLM01

JEEP WRANGLER JK UPPER WINDSHIELD MOUNTED LIGHT BRACKETS

Aluminum Alloy or Steel ●

Model: JC-01

Model: JC-02

JEEP HOOD MOUNT LIGHT BAR

Aluminum Alloy or Steel ●

Model: JMK02

LED LIGHT BAR MOUNT

Aluminum Alloy or Steel ●

Model: JC-03

24 Months Warranty

Tel: +86-519-81193809 Fax: +86-519-85281830
Email: info@cntoptree.com Web: www.cntoptree.com